

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all previous versions, and listings, of claims in the application:

1. (Currently Amended): A method of collecting a biological fluid comprising:
collecting a biological fluid by natural flow, ~~without a pump~~ wherein collecting comprises:
introducing a biological fluid collection device proximate to a biological fluid source; and
allowing the biological fluid to flow from the biological fluid collection device to a collection bag in fluid communication with the biological fluid collection device without the use of a pump;
measuring a fluid flow rate of the biological fluid; and
pumping anticoagulant and/or preservation solution to the collected biological fluid at a solution flow rate;
wherein the solution flow rate is adjusted while collecting the biological fluid based upon the measured fluid flow rate to preserve a selected ratio between the collected biological fluid and the anticoagulant and/or preservation solution.
2. (Currently Amended): The method of Claim 1, further comprising:
~~collecting the biological fluid in a collection bag; and~~
pumping the anticoagulant and/or preservation solution to the collection bag;
wherein the solution flow rate is adjusted while collecting the biological fluid based upon the measured fluid flow rate to preserve a selected ratio in the collection bag between the collected biological fluid and the anticoagulant and/or preservation solution.
3. (Original): The method of Claim 1, wherein the biological fluid comprises blood.
4. (Original): The method of Claim 1, wherein measuring a fluid flow rate of the biological fluid comprises calculating the variation in weight of the fluid collected.
5. (Original): The method of Claim 1, wherein pumping comprises:

pumping using a peristaltic pump having a variable rotation speed; and
adjusting the variable rotation speed to obtain the appropriate solution flow rate.

6. (Withdrawn): A collection machine comprising:
 - a fluid flow measurement device operable to measure a biological fluid flow rate;
 - a pump operable at a variable rotation speed to pump an anticoagulant and/or preservation solution at a solution flow rate;
 - wherein the variable rotation speed of the pump is slaved to the biological fluid flow rate.
7. (Withdrawn): The collection machine of Claim 6, further comprising a measuring device operable to measure the weight of a biological fluid collected and further operable to calculate the biological fluid flow rate based upon weight measurements.
8. (Withdrawn): The collection machine of Claim 6, further comprising a peristaltic pump.
9. (Withdrawn): A bag system comprising:
 - a biological fluid collection device;
 - a collection bag in fluid communication with the fluid collection device;
 - a solution bag containing anticoagulant and/or preservation solution in fluid communication with the collection bag;
 - a collection machine having:
 - a fluid flow measurement device operable to measure a biological fluid flow rate to the collection bag; and
 - a pump operable at a variable rotation speed to pump an anticoagulant and/or preservation solution from the solution bag to the collection bag at a solution flow rate;
 - wherein the variable rotation speed of the pump is slaved to the biological fluid flow rate; and
 - wherein the solution flow rate is adjusted to maintain a selected ratio of biological fluid and anticoagulant and/or preservation solution in the collection bag.
10. (Withdrawn): The system of Claim 9, wherein measurement of pressure within the system is not required to maintain the selected ratio of fluid and solution.

11. (Withdrawn): The system of Claim 9, further comprising a first tube operable to provide fluid communication between the collection device and the collection bag.

12. (Withdrawn): The system of Claim 11, further comprising a second tube operable to provide fluid communication between the solution bag and the collection bag.

13. (Withdrawn): The system of Claim 12, further comprising the a circuit opener disposed on the second tube near a connection between the second tube and the solution bag.

14. (Withdrawn): The system of Claim 12, further comprising a connector operable to connect the first tube and the second tube.

15. (Withdrawn): The system of Claim 12, wherein the first tube is connected to the collection device and the collection bag, and wherein the first tube has a length of at least 15 cm between the connection to the collection device and the connection to the collection bag.

16. (Withdrawn): The system of Claim 15, wherein the first tube has a length of at least 25 cm between the connection to the collection device and the connection to the collection bag.

17. (Withdrawn): The system of Claim 12, wherein the second tube is compressed by the pump in a compression region, and wherein the compression region has a hardness less than that of the first tube.